



Integrated  
Amplifier

*Ladis*

depuis 1983

# Jadis I-70

« We are happy to announce the release of our new integrated amplifier I-70.  
A condensed of modern design and further technical architecture coinciding  
with the arrival of the new KT170 »



For a long time now , we've been thinking about developing a new reference mixing compact design and increased performances...and KT170 tube comes, giving the starting signal of I-70 project.

This integrated is not only designed in the pure tradition with point to point wiring and hand made transformer it's the first to integrate several features from Jadis mono- block technology.

From power supply point of view, power stage has a full separated supply makes it totally independent. Driver and power stage separated means a power stage not influenced by the other one, so 100% available. Stabilized filament voltage eliminating inducted noise.

Huge power transformer has been designed to bring dynamic and pulse power. Due to its fully new designed output transformer I-70 works in a single push-pull ultra linear with triple load configuration and then equipped with two KT170 per channel.



# Jadis I-70

KT170 is a powerful tube but we prefer to take advantage of its feature to reduce distortion instead of simply focusing on its power, by choosing a functioning point different than usual.

## LISTENING:

I-70 is rich in sensation and full of emotions. Each register shows details, accuracy and depth. This integrated will move you by its shimmering tones and structured soundstage.

Type	Integrated Amplifier	Bias	Automatic
Power	60W -A Class		
Input/output	5 lines, 1 Bypass output, 2 speaker output (for bi-wiring)		
Bandwidth	10Hz to 36kHz	Sensitivity	150mV
Tubes	4 x KT170, 2 x ECC83, 3 x ECC82		
Dimensions	40 x 40 x 25,5 cm	Weight	30kg
	Consumption	500 VA	

